

Date of issue:	21/08/2020
Period covered:	12/08/20 – 26/08/20
Notice number:	003
Author:	Liam Rogers

**Construction of the Neart na Gaoithe Offshore Wind Farm has commenced. This notice is updated weekly giving information on the progress and resources involved in the offshore works. The intention is to give an overview of activities and vessels involved. Questions regarding the operations are welcomed, preferably well in advance of each construction activity.**

Current works include;

1. Construction of the Neart na Gaoithe Offshore Wind Farm commenced on 11<sup>th</sup> August 2020, with the start of casing and pile installation operations on the wind farm site;
2. Guard vessel duties; and,
3. Boulder/debris clearance in the wind farm area and export cable corridor.




Figure 1 Neart na Gaoithe (NnG) Offshore Wind Farm area and Export Cable Corridor

**1 Marine Coordination Contact Details**

The following contact can provide more information if required. Please note that specific queries can also be addressed to the relevant vessel or shore-based representative.

*Table 1 Marine Coordination Contact Details*

Telephone number (daytime operations):	+44 (0)7508421406 / +44 (0)1890 751415
--	--

Emergency contact (24/7):	+44 (0)7508421406 / +44 (0)1890 751415
Email:	<a href="mailto:nng.mc@smchse.com">nng.mc@smchse.com</a>
Address:	NnG Offshore Wind Farm Marine Coordination Centre Gunsreen Basin Eyemouth TD14 5SD

## 2 Completed Operations

NnGOWL will provide information of successful infrastructure installations on a weekly basis. More information will be provided in subsequent notices.

## 3 Ongoing Operations

### 3.1 Boulder/debris Clearance Operations

*Table 2 Details of Boulder/debris Clearance Operations*

Contractor:	Helix Robotic Solutions Ltd (Hughes Subsea Services Ltd)
Scope of operation:	Helix Robotic Solutions Ltd have been contracted to clear boulders / debris from all Construction Zones. Construction Zones include; <ul style="list-style-type: none"> <li>- Subsea Template (SST) position at each Wind Turbine Generator (WTG) / Offshore Substation (OSS) location</li> <li>- Jack-Up Vessel (JUV) footprint at each WTG location</li> <li>- Inter-Array Cable (IAC) &amp; Inter-connector Cable Routes</li> <li>- Export Cable Route (ECR)</li> <li>- Nearshore Clearance Area</li> </ul>
Area of operation:	Offshore Windfarm (OWF) / Export Cable Route (ECR)
Dates of operation:	January 2020 – January 2021
Vessels supporting operation:	FS Kristiansand World Peridot Forth Guardsman Wavedancer 2




Figure 2 Area of boulder clearance operations; Wind Farm Area and Export Cable Corridor




Figure 3 Area of nearshore boulder clearance operations

Table 3 Coordinates for Boulder Clearance Operations

Description	Longitude (DD MM.MMM)	Latitude (DD.MM.MMM)
<b>Offshore Wind Farm (OWF)</b> Figure 2	002° 09.898' W	56° 15.271' N
	002° 13.998' W	56° 12.752' N
	002° 19.628' W	56° 15.479' N
	002° 20.232' W	56° 17.430' N
	002° 16.518' W	56° 20.312' N
	002° 09.255' W	56° 12.721' N
	002° 16.293' W	56° 12.766' N
	002° 20.055' W	56° 15.827' N
	002° 17.826' W	56° 19.752' N
	002° 14.910' W	56° 20.171' N
<b>Export Cable Route (ECR)</b> Figure 2	002° 18.237' W	56° 14.349' N
	002° 22.472' W	55° 57.734' N
	002° 23.199' W	55° 57.603' N
	002° 23.301' W	55° 57.757' N
	002° 22.729' W	55° 57.866' N
	002° 21.938' W	56° 00.990' N
	002° 22.262' W	56° 01.017' N
	002° 21.882' W	56° 02.498' N
	002° 21.561' W	56° 02.475' N
	002° 18.479' W	56° 14.546' N
<b>Nearshore Survey Area</b> Figure 3	002° 22.132' W	55° 57.796' N
	002° 22.385' W	55° 57.568' N
	002° 23.527' W	55° 57.405' N
	002° 23.802' W	55° 57.583' N
	002° 23.822' W	55° 57.610' N
	002° 23.733' W	55° 57.883' N
	002° 23.176' W	55° 58.036' N

Table 4 Boulder Clearance Vessel; FS Kristiansand

Vessel name:	FS Kristiansand
Vessel type and Dimensions:	Platform Supply Vessel (PSV) LOA: 73.4m, Beam: 16.63m, Draught: 5.0m
Vessel role:	Boulder Clearance Operations
Location of operations:	Export Cable Route (ECR) KP 4.000 – KP 5.000 KP 5.000 – KP 6.000 Offshore Wind Farm NNG-A11 NNG-A06 NNG-C07 Crew change planned for 26/08/20 in Port of Montrose.
Call sign:	MAAS7
Maritime Mobile Service Identity:	232002896
On board contact:	NnG Client Representative



	<a href="mailto:Kristiansand-Rep@nngoffshorewind.com">Kristiansand-Rep@nngoffshorewind.com</a>
Onshore representative:	Martin Malone <a href="mailto:Martin.malone@nngoffshorewind.com">Martin.malone@nngoffshorewind.com</a> +44(0)7880439480
	

Table 5 Boulder Clearance Vessel; World Peridot


Vessel name:	World Peridot
Vessel type and Dimensions:	Platform Supply Vessel (PSV) LOA: 80.03m, Beam: 19.13m, Draught: 5.2m
Vessel role:	Boulder Clearance Operations
Location of operations:	Offshore Wind Farm NNG-A11 NNG-A09 NNG-F05 NNG-E16 NNG-H19
Call sign:	D5TS3
Maritime Mobile Service Identity:	636019266
On board contact:	NnG Client Representative <a href="mailto:World.Peridot-Rep@nngoffshorewind.com">World.Peridot-Rep@nngoffshorewind.com</a>
Onshore representative:	Martin Malone <a href="mailto:Martin.malone@nngoffshorewind.com">Martin.malone@nngoffshorewind.com</a> +44(0)7880439480

Vessel name:	World Peridot
	

Table 6 Nearshore Boulder Clearance Vessel; Forth Guardsman

Vessel name:	Forth Guardsman
Vessel type and Dimensions:	Landing Craft (with Excavator) LOA: 58.7m, Beam: 14.81m, Draught: 2.5m
Vessel role:	Boulder Clearance Operations
Location of operations:	Nearshore Survey Area
Call sign:	ZIVU6
Maritime Mobile Service Identity:	235006574
On board contact:	NnG Client Representative <a href="mailto:Forth.Guardsman-rep@nngoffshorewind.com">Forth.Guardsman-rep@nngoffshorewind.com</a>
Onshore representative:	Martin Malone <a href="mailto:Martin.malone@nngoffshorewind.com">Martin.malone@nngoffshorewind.com</a> +44(0)7880439480
	

*Table 7 Nearshore Boulder Clearance Crew Transfer Vessel; Wavedancer 2*

Vessel name:	Wavedancer 2
Vessel type and Dimensions:	Crew Transfer Vessel (CTV) LOA: 11.0m, Beam: 4.0m, Draught: 1.2m
Vessel role:	Crew Transfers (Eyemouth – Forth Guardsman)
Location of operations:	Eyemouth / Nearshore Survey Area
Call sign:	MPBU3
Maritime Mobile Service Identity:	235020574
On board contact:	NnG Client Representative <a href="mailto:Forth.Guardsman-rep@nngoffshorewind.com">Forth.Guardsman-rep@nngoffshorewind.com</a>
Onshore representative:	Martin Malone <a href="mailto:Martin.malone@nngoffshorewind.com">Martin.malone@nngoffshorewind.com</a> +44(0)7880439480
	

**3.2 Drilling and Casing Installation**

*Table 8 Details of Drilling and Casing Installation Operations*

Contractor:	Saipem Ltd
Scope of operation:	Saipem Ltd has been contracted by Neart na Gaoithe (NnG) to undertake the Detail Design under an EPCI Scope of Work. During this campaign, Saipem Ltd will drill out x3 rock-sockets and install x3 casings at each of the x54 Wind Turbine Generator (WTG) and x2 Offshore Substation (OSS) locations.
Area of operation:	Offshore Wind Farm (OWF)
Dates of operation:	10/08/20 – March 2021
Vessels supporting operation:	Saipem 7000 Sea Gull

Figure 4 Location of NnG Turbine Locations within the Wind Farm Area




Table 9 Coordinates of NnG Turbine Locations and first anticipated locations of work (green highlight)

TURBINE ID	LONGITUDE (DD.MM.MMM)	LATITUDE (DD.MM.MMM)	TURBINE ID	LONGITUDE (DD.MM.MMM)	LATITUDE (DD.MM.MMM)
NNG-A13	002° 18.580' W	56° 15.153' N	NNG-F22	002° 16.536' W	56° 18.785' N
NNG-A11	002° 18.489' W	56° 14.668' N	NNG-F19	002° 15.487' W	56° 17.828' N
NNG-A09	002° 17.845' W	56° 14.153' N	NNG-F17	002° 14.978' W	56° 17.394' N
NNG-A08	002° 17.267' W	56° 13.665' N	NNG-F08	002° 12.603' W	56° 15.198' N
NNG-A06	002° 16.755' W	56° 13.248' N	NNG-F06	002° 12.129' W	56° 14.751' N
<b>NNG-A05</b>	<b>002° 16.231' W</b>	<b>56° 12.822' N</b>	NNG-F05	002° 11.632' W	56° 14.330' N
NNG-B22	002° 19.921' W	56° 17.623' N	NNG-G21	002° 14.988' W	56° 18.873' N
NNG-B20	002° 19.521' W	56° 17.097' N	NNG-G14	002° 13.181' W	56° 17.095' N



TURBINE ID	LONGITUDE (DD.MM.MMM)	LATITUDE (DD.MM.MMM)	TURBINE ID	LONGITUDE (DD.MM.MMM)	LATITUDE (DD.MM.MMM)
NNG-B11	002° 17.341' W	56° 14.989' N	NNG-G12	002° 12.715' W	56° 16.640' N
NNG-B08	002° 16.365' W	56° 14.109' N	NNG-G10	002° 12.270' W	56° 16.197' N
NNG-B07	002° 15.822' W	56° 13.695' N	NNG-G07	002° 11.379' W	56° 15.279' N
NNG-B04	002° 14.964' W	56° 12.817' N	NNG-G04	002° 10.435' W	56° 14.405' N
NNG-C19	002° 18.293' W	56° 17.155' N	NNG-G02	002° 09.572' W	56° 13.520' N
NNG-C18	002° 17.882' W	56° 16.725' N	NNG-H23	002° 14.806' W	56° 19.943' N
NNG-C14	002° 16.984' W	56° 15.858' N	NNG-H22	002° 14.322' W	56° 19.488' N
NNG-C07	002° 15.017' W	56° 14.076' N	NNG-H21	002° 13.865' W	56° 19.043' N
NNG-D23	002° 18.666' W	56° 18.572' N	NNG-H19	002° 13.397' W	56° 18.588' N
NNG-D22	002° 18.135' W	56° 18.127' N	NNG-H17	002° 12.932' W	56° 18.134' N
NNG-D15	002° 16.321' W	56° 16.376' N	NNG-H15	002° 12.466' W	56° 17.677' N
NNG-D13	002° 15.848' W	56° 15.946' N	NNG-H13	002° 11.997' W	56° 17.214' N
NNG-D06	002° 13.894' W	56° 14.179' N	NNG-A19	002° 20.015' W	56° 16.490' N
NNG-D05	002° 13.417' W	56° 13.744' N	NNG-A15	002° 19.484' W	56° 15.474' N
NNG-D03	002° 12.421' W	56° 12.828' N	NNG-F01	002° 09.915' W	56° 12.0790' N
NNG-E18	002° 16.122' W	56° 17.324' N	NNG-H11	002° 11.513' W	56° 16.740' N
NNG-E16	002° 15.658' W	56° 16.874' N	NNG-H09	002° 11.027' W	56° 16.263' N
NNG-E12	002° 14.720' W	56° 16.029' N	NNG-H08	002° 10.555' W	56° 15.808' N
NNG-E02	002° 11.251' W	56° 12.829' N	NNG-H06	002° 10.079' W	56° 15.324' N

Table 10 Coordinates of NnG Offshore Substation Platform (OSP) Locations and first anticipated locations of work (green highlight)

OSP ID	LONGITUDE (DD.MM.MMM)	LATITUDE (DD.MM.MMM)	OSP ID	LONGITUDE (DD.MM.MMM)	LATITUDE (DD.MM.MMM)
NNG-OSS-S	002° 14.395' W	56° 14.615' N	NNG-OSS-N	002° 15.193' W	56° 16.446' N


Table 11 Casing Installation Vessel; Saipem 7000

Vessel name:	Saipem 7000
Vessel type and Dimensions:	Heavy Lift Vessel LOA: 175.0m, Beam: 87.0m, Draught: 27.5m (Operating)
Vessel role:	Drilling and Casing Installation.
Location of operations:	NNG-A15 NNG-F01 NNG-A05
Call sign:	C6NO
Maritime Mobile Service Identity:	309461000
On board contact:	NnG Client Representative <a href="mailto:S7000-Rep@nngoffshorewind.com">S7000-Rep@nngoffshorewind.com</a>
Onshore representative:	Mick Hoyle <a href="mailto:Mick.hoyle@nngoffshorewind.com">Mick.hoyle@nngoffshorewind.com</a> +44(0)7881102695



Table 12 Casing Supply Vessel; Sea Gull

Vessel name:	Sea Gull
Vessel type and Dimensions:	Platform Supply Vessel (PSV) LOA: 88.8m, Beam: 20.0m, Draught: 6.9m
Vessel role:	Transportation of casings from Marshalling Port (Leith) to S7000
Location of operations:	Leith – NnG Offshore Wind Farm as required
Call sign:	LAGK8
Maritime Mobile Service Identity:	257504000

On board contact:	NnG Client Representative <a href="mailto:S7000-Rep@nngoffshorewind.com">S7000-Rep@nngoffshorewind.com</a>
Onshore representative:	Mick Hoyle <a href="mailto:Mick.hoyle@nngoffshorewind.com">Mick.hoyle@nngoffshorewind.com</a> +44(0)7881102695
	

3.3 Guard Vessels

SFF Services has been appointed by NnGOWL to provide guard vessels during the boulder/debris clearance campaign. Apart from times of extreme weather, there will always be at least two guard vessels on site, to cover the Wind Farm Area and Export Cable Corridor. The guard vessel's primary duty is security of the construction site by informing and warning non-construction vessels of the ongoing activities and associated Safety Zones.

Two (2) of the Three (3) Guard Vessels below are on-site at any given time supporting the operational vessels listed above.

*Table 13 Guard Vessel; Artemis*

Vessel name:	Artemis
Vessel type and Dimensions:	Guard Vessel LOA: 27.69m, Beam: 8.7m, Draught: 5.1m
Vessel role:	Guard Vessel Duties
Location of operations:	Offshore Wind Farm until 07/09/2020.
Call sign:	MVIX5
Maritime Mobile Service Identity:	233975000
On board contact:	Vessel Master <a href="mailto:concordeb47@aol.com">concordeb47@aol.com</a>
Onshore representative:	Martin Malone <a href="mailto:Martin.malone@nngoffshorewind.com">Martin.malone@nngoffshorewind.com</a> +44(0)7880439480


Vessel name:	Artemis
	

Table 14 Guard Vessel; Seagull

Vessel name:	Seagull
Vessel type and Dimensions:	Guard Vessel LOA: 30.0m, Beam: 8.0m, Draught: 4.9m
Vessel role:	Guard Vessel Duties
Location of operations:	Export Cable Route until 31/08/2020.
Call sign:	MVBO2
Maritime Mobile Service Identity:	233714000
On board contact:	Vessel Master <a href="mailto:seagullbf74@gmail.com">seagullbf74@gmail.com</a>
Onshore representative:	Martin Malone <a href="mailto:Martin.malone@nngoffshorewind.com">Martin.malone@nngoffshorewind.com</a> +44(0)7880439480



Table 15 Guard Vessel; Tranquillity S

Vessel name:	Tranquillity S
Vessel type and Dimensions:	Guard Vessel LOA: 19.0m, Beam: 7.0m, Draught: 2.63m
Vessel role:	Guard Vessel Duties
Location of operations:	Return to Export Cable Route on 31/08/2020.
Call sign:	MJUH9
Maritime Mobile Service Identity:	235053837
On board contact:	Vessel Master <a href="mailto:spousekeil@yahoo.com">spousekeil@yahoo.com</a>
Onshore representative:	Martin Malone <a href="mailto:Martin.malone@nngoffshorewind.com">Martin.malone@nngoffshorewind.com</a> +44(0)7880439480
	

4 General Safety Advice

All vessels engaged in the construction activity will exhibit appropriate lights and shapes prescribed by the International Regulations for Preventing Collisions at Sea; relative to their operations. All vessels engaged in the activity will also transmit an Automatic Identification System (AIS) message. Mariners are requested to navigate with caution and keep continued watch on VHF Ch. 16, when navigating the area.

Please be aware that by virtue of their mode of operation and the equipment deployed *S7000, Sea Gull, FS Kristiansand, World Peridot* and *Forth Guardsman* will be Restricted in their Ability to Manoeuvre (RAM) as defined under COLREGs (International Regulations for Preventing Collisions at Sea 1972, Rule 3). Masters of vessels are therefore requested to maintain their vessels and gears at a minimum safe distance from these vessels of 500 metres when it is undertaking its work and showing the appropriate shapes and lights in accordance with COLREGs Rule 18.

Use of Safety Zones within the Neart na Gaoithe Offshore Wind Farm Construction Area is as follows:

- Mandatory “rolling” 500 metres (m) Safety Zones will be established around each wind farm structure (turbines and Offshore Substation Platforms (OSP)) and/or their foundations whilst construction works are in progress, as indicated by the presence of a construction vessel. Up to ten of these Safety Zones may be active at any given time.

The duty Guard Vessels and Marine Coordination Centre will be responsible for monitoring and policing the Safety Zones; and can be contacted directly for advice.

Users are advised to keep clear of construction activities, including Safety Zones.

## 5 Fisheries Liaison

Fisheries liaison associated with the activity will be co-ordinated by the Company Fisheries Liaison Officer. For any commercial fishery queries please contact: Peter Berney, telephone: +44 (0)7391 402387 or email: [NnG.FLO@naturalpower.com](mailto:NnG.FLO@naturalpower.com)

For any other general queries please contact [info@nngoffshorewind.com](mailto:info@nngoffshorewind.com) .